



**GUJARAT POLLUTION CONTROL BOARD**  
**Paryavaran Bhavan**  
**Sector - 10 A, Gandhinagar - 382 010.**  
**Environment Audit Cell**

29 NOV 2019

No. GPCB/EA-219(2)/ 528373/

**RPAD**

**To,**  
**Unistar Environment and Research Labs Pvt. Limited**  
White House, Plot No. C/5-24,  
Nr.New GIDC Office, Char Rasta,  
Vapi-396195

**Sub:-** Recognition as Schedule- II Environmental Auditor.

Sir,

This refers to your application for the recognition as Environmental Auditor, subsequent interview and visit of your Laboratory by Environment Audit Committee members. It is recommended by the Environment Audit Committee members, to recognize your firm as Schedule-II Environmental Auditor for carrying out the Environmental Audit under Environment Audit Scheme with following conditions.

- 1) Recognition is valid upto **31/12/2021**.
- 2) You shall have maximum **Two** teams for the Environment Audit.
- 3) You shall carry out maximum **30** nos. of Environment Audit.
- 4) Team members shall be as under :

<b>Team-1</b>		
<b>Sr. No.</b>	<b>Name</b>	<b>Designation</b>
1	Mr. G. G. Thumar	Environment Engineer
2	Mr. Devang B Patel	Chemical Engineer
3	Mr. Jaivik Tandel	Chemist
4	Mr. Ranjan Maharaj	Microbiologist
<b>Team-2</b>		
1	Mr. Deelip Brahmin	Environment Engineer
2	Mr. Mayur R Patel	Chemical Engineer
3	Mr. Nitin Tandel	Chemist
4	Ms. Shweta Rana	Microbiologist

(P.T.O.)

- 5) You shall prepare and submit the Environment Audit report and to comply the conditions for EnvironmentAuditors as per the Hon'ble High Court order dated 20/12/1996, 13/03/1997, 16/09/1999, and also the Guidelines prepared by Gujarat Pollution Control Board in this regard, for the Environment Audit Scheme along with the Adequacy and Efficacy certificates as per prescribed format.
- 6) Environment Audit Report shall be submitted in prescribed format.
- 7) You shall apply for renewal of Environmental Auditor 3 months before expiry of the recognition with the scrutiny fees to this Board.
- 8) This recognition is subject to periodic evaluation of your facility and subject to change based on performance.
- 9) Any change in man power, team members, laboratory infrastructure, laboratory address etc., without prior appraisal of Environment Audit Committee and prior approval of Board, this recognition will automatically stands cancelled.

This letter is issued with the permission of competent authority.

**For and on behalf of GPCB,**



**(Sushil Vegda)**

**Senior Environment Engineer**